

JCL/JRD/ENV/2025-26/04

Date: 27.05.2025

To

Deputy Director General of Forests (C)
Ministry of Environment, Forest & Climate Change
Regional Office (EZ)
A/3, Chandrasekharapur
Bhubaneswar-751023

Sub: Half Yearly Compliance Report of Environment Clearance for the period from October, 2024 to March, 2025.

- Ref:** 1. Environment Clearance vide Letter No. IA-J-11011/111/2018-IA-II(I), dated 9th May 2022 for Expansion of Coke production from 0.425 MTPA to 0.78 MTPA by installation of a new Stamp charged by-product recovery type Coke Oven Battery.
2. Environment Clearance vide Letter No. IA-J-11011/111/2018-IA-II(I), dated 25.05.2018 for 0.425 MTPA Coke Oven Battery (Recovery Type).


Dear Sir,

With reference to the above Environment Clearances, please find enclosed herewith the half yearly compliance report for the stipulated conditions for the period from October, 2024 to March, 2025.

The soft copy of the same has also been sent to email -id roe.bsr-mef@nic.in.

Thanking You,

Yours faithfully,
For Jindal Coke Limited


Deepak Agiwal
Head - COBP

Enc: As Above



Copy to:

1. The Zonal Officer, Central Pollution Control Board, Southern Conclave Block 502, 5th & 6th Floors, 1582 Rajdanga Main Road, Kolkata - 700107.
2. The Member Secretary, SPCB, Parivesh Bhawan, A/118, Nilakahanta Nagar, Unit VIII, Odisha, Bhubaneswar-751012.

Jindal Coke Limited

CIN: U23101HR2014PLC053884

Jajpur Office: Kalinga Nagar Industrial Complex, Duburi, Dist. - Jajpur - 755 026 (Odisha), India

Registered office: O.P. Jindal Marg, Hisar - 125005 (Haryana), India

T. +91 6726 266260 F. +91 6726 266006 E. info@jindalcoke.com

JINDAL COKE LIMITED



HALF YEARLY EC COMPLIANCE REPORT

OCTOBER, 2024 TO MARCH, 2025

Status of compliance report of environment clearance conditions for Expansion of Coke production from 0.425 MTPA to 0.78 MTPA by installation of a new Stamp charged by-product recovery type Coke Oven Battery within the existing steel plant. (EC Identification No.: EC22A008OR150400, Ref: IA-J-11011/111/2018-IA-II(I), dated 9th May 2022

A. SPECIFIC CONDITIONS:

S. No.	Condition	Compliance
i.	Coke Dry Quenching (CDQ) and Zero Liquid Discharge (ZLD) facilities shall be installed in the Coke Oven Plant as committed by PP.	Coke Dry Quenching (CDQ) has been installed and commissioned.
ii.	Tar sludge from BOD plant of Coke Oven shall be reused in coke oven plant	Tar sludge generated from BOD plant of Coke Oven Battery is being reused in coke oven plant.
iii.	Coke Oven Gas shall be desulfurized	The coke oven gas is presently being desulfurized in Desulphurization unit.
iv.	Out of 24 acres area for green belt development, project proponents have developed green belts in 15 acres area. The remaining 9 acres area of green belt shall be completed by December 2022. Three tier Green Belt shall be developed after consulting with local forest department with native species all along the periphery of the project site of adequate width and tree density shall not be less than 2500 per ha. Survival rate of green belt developed shall be monitored on periodic basis to ensure that damaged plants are replaced with new plants in the subsequent years.	Three tier greenbelts with 2500 density per ha have been developed. The survival of the saplings is being closely monitored and replaced all the damaged plants with new saplings. 5309 nos. of trees have been planted in FY 24-25.
v.	Greening and Paving shall be implemented in the plant area to arrest soil erosion and dust pollution from exposed soil surface.	To control soil erosion and dust pollution, the roads are being paved and in vacant area plantation is being done.
vi.	PM10 values are almost near the threshold limit, the PP shall prepare and implement a project specific Air Quality Management Plan with best practices. Develop a control strategy and incorporate pollution control measures. Emission control measures related to transportation shall include the use of cleaner fuels.	To control point source emission, dust extraction and suppression techniques are implemented wherever applicable. For controlling area source emission, sprinkling through fixed type sprinkler, tanker is being continued. The ambient air quality is being monitored through online and offline methods.
vii.	The progress made in the implementation of Corporate Environment Responsibility (CER) related activities shall be submitted along with six monthly compliance report to the concerned IRO and be uploaded on the company web site.	The implementation status of the Corporate Environment Responsibility (CER) related activities is enclosed as Annexure – I . Which is being submitted along with the Six-monthly compliance report and uploaded on the company website.
viii.	All stockyards shall be having impervious flooring and shall be equipped with water spray system for dust suppression. Stock	Storm water drains all along the JCL complex have been constructed and interconnected. Surface runoffs from all source of JCL complex are routed

S. No.	Condition	Compliance
	yards shall also have garland drains to trap the runoff material.	through these storm water drains for further treatment in common SRTS of JSL.
ix.	All internal roads and connecting roads from project site to main highway shall be developed and maintained with suitable Million Axle Standard (MSA) as per the traffic load due to existing and proposed project	All the internal roads and connecting road from project site to main highway are made with RCC/PCC.
x.	Performance tests shall be conducted on all pollution control systems every year and report shall be submitted to Regional Office of the MoEF&CC.	The performance test of all pollution control devices has been carried out by NIT Rourkela and the report has been submitted to IRO office of MoEF&CC vide our letter no. JCL/JRD/ENV-2025-26/01, dated 08.04. 2025.
xi.	Particulate matter emission from stacks shall be less than 30 mg/Nm ³ .	Stack emission is within the stipulated standard as mentioned in CTO. The monitoring report is enclosed as Appendix – A .
xii.	<p>Following additional arrangements to control fugitive dust shall be provided:</p> <p>a. Fog / Mist Sprinklers at all conveyors point and on bulk raw material storage area (at the transfer points) like Iron Ore, Coal and for Fly Ash and similar solid waste storage areas.</p> <p>b. Proper covered vehicles shall be used while transport of materials.</p> <p>c. Wheel Washing mechanism shall be provided in entry and exit gates with complete recirculation system.</p>	<ul style="list-style-type: none"> The major raw material for the Coke making process is coking coal which is being transported through rail. In the coal storage yard, a water sprinkling system has been implemented The transportation of coal from Coal yard to Coke oven is being done through closed conveyor. Mechanized wheel washing facility is available and as per SOP all vehicles pass through the wheel washing system.

B. GENERAL CONDITIONS:

S. No.	Condition	Compliance
I. Statutory compliance		
i.	The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/ consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts /Rules/ Subordinate legislation, etc., as may be applicable to the project.	All applicable acts/rules/subordinate legislation are being followed.
II. Air quality monitoring and preservation		
i.	The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission as well as 04 Nos. Continuous Ambient Air	CEMS have installed the existing Coke Oven Battery stack and connected to SPCB/CPCB servers.

	<p>Quality Station (CAAQS) for monitoring AAQ parameters with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time. The CEMS and CAAQMS shall be connected to SPCB and CPCB online servers and calibrate these systems from time to time according to the equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.</p>	<ul style="list-style-type: none"> One no. of continuous ambient air quality station has been installed in JCL which caters to the requirement of downstream installation. For upstream installation there are 3 no. of stations which share the common boundary of JSL & JCL to monitor PM10, PM2.5, Sox & NOx. The installation has been completed in consultation with SPCB. All data are continuously transmitted to OSPCB & CPCB and submitted periodically to MoEF&CC. <p>Both the manual and online monitoring report of Stack & ambient air quality is enclosed as Appendix-A and Appendix-B respectively.</p>
ii.	The project proponent shall monitor fugitive emissions in the plant premises at least once every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Fugitive emission monitoring at various locations of coke oven plant is being carried out through NABL accredited laboratory monthly. The Monitoring report is Annexed as Appendix – A.
iii.	Sampling facilities at process stacks and at quenching towers shall be provided as per CPCB guidelines for manual monitoring of emissions.	Sampling facilities at process stacks of the unit and dry dust quenching system have been provided.
iv.	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, to comply with prescribed stack emission and fugitive emission standards.	Appropriate DE systems have been provided to mitigate fugitive dust emission from Dust generating sources from material handling systems like coal crusher, coke screening.
v.	The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.	The bag filters provided are equipped with mechanical bag cleaning which is interlocked with differential pressure of the bag.
vi.	Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.	Vacuum road sweepers are provided for cleaning of plant roads, shop floors of Coke Oven Plant.
vii.	Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/ agglomeration.	Coal and coke fines collected from pollution control devices are being reused in Coke oven plant in coke manufacturing.
viii.	The project proponent use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.	Coal is transported through rail and covered trucks.
ix.	Facilities for spillage collection shall be provided for coal and coke on wharf of coke	Provision for spillage collection has been provided for coal and coke on wharf of coke oven battery.

	oven batteries (Chain conveyors, land based industrial vacuum cleaning facility).	
x.	Land-based APC system shall be installed to control coke pushing emissions.	Jindal Coke Limited has installed a double M-type gas transfer car for Battery-I and Battery-II that runs on oven top rail and the smoke generated during coal charging is being collected into gas collecting pipe from the oven being charged controlling the emission escape to atmosphere.
xi.	Monitor CO, HC and O ₂ in flue gases of the coke oven battery to detect combustion efficiency and cross leakages in the combustion chamber.	VOC, CO, O ₂ and HC monitoring at stack connected to Coke Oven Battery is being conducted periodically through NABL accredited third party laboratory as well as in house laboratory. Monitoring report is enclosed as Appendix –A.
xii.	Vapor absorption system shall be provided in place of vapor compression system for cooling of coke oven gas in case of recovery type coke ovens.	Vapor absorption system has been provided for cooling of Coke Oven gas
xiii.	Wind shelter fence and chemical spraying shall be provided on the raw material stockpiles.	Coal is covered with tarpaulin. In addition, in dry season water sprinkling is done at stockpiles to mitigate any fugitive emission. Chemical spraying is being provided and provision of Wind Shelter has been taken up.
xiv.	Design the ventilation system for adequate air changes as per prevailing norms for all tunnels, motor houses, Oil Cellars.	Adequate ventilation measures have been taken for air changes for all tunnels, motor houses and shop cellars.
xv.	Dry quenching (CDQ) system shall be installed along with power generation facility from waste heat recovery from hot coke.	Coke Dry Quenching (CDQ) has been installed and commissioned.
III. Water quality monitoring and preservation		
i.	The project proponent shall provide appropriate ETP for effluents discharged from coke oven and by-product to meet the standards prescribed in G.S.R 277 (E) 31 st March 2012 (applicable to Coke oven plants) as amended from time to time.	The effluent water generated from both existing Battery # 1 and Battery # 2 is being treated in the existing ETP of capacity 90 M ³ /hr (2 x 45 M ³ /hr). Continuous Effluent Quality Monitoring System (EQMS) as per CPCB guidelines has already been installed for Effluent Treatment Plant to monitor compliance w.r.t. G.S.R 277 (E) 31 st March 2012 (applicable to Coke oven plants) as amended from time to time.
ii.	The project proponent shall monitor regularly ground water quality at least twice a year (pre- and post-monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.	Ground water quality inside plants and in nearby area is monitored pre- monsoon & post monsoon. Report is annexed as Appendix – A.
iii.	A sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.	<ul style="list-style-type: none"> A common STP is in operation sharing both JSL & JCL manpower load.

		<ul style="list-style-type: none"> Additional soak pits have been provided at site. Additional STP is being installed at JCL premises.
iv.	Garland drains and collection pits shall be provided for each stockpile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.	Storm water drains all along the JCL complex have been constructed and interconnected. Surface runoffs from all sources of JCL complex are routed through these storm water drains for further treatment in common SRTS of JSL company.
v.	Water meters shall be provided at the inlet to all unit processes in the coke oven plants.	Water meter has been provided at all water inlet points.
IV. Noise monitoring and prevention		
i.	Noise pollution shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and the report in this regard shall be submitted to the Regional Officer of the Ministry as a part of six-monthly compliance report.	The monitoring of shopfloor noise level as well as ambient noise level is being carried out periodically and the monitoring data is annexed as Appendix – A .
V. Energy Conservation measures		
i.	Provide solar power generation on rooftops of buildings, for solar light system for all common areas, streetlights, parking around project area and maintain the same regularly;	Installation of 100 KWp roof top solar panel have been taken up.
ii.	Provide LED lights in their offices and residential areas.	LED lights are provided at the office area, on roads and on shop floors.
VII. Green Belt		
i.	The project proponent shall prepare GHG emissions inventory for the plant and shall submit the program for reduction of the same including carbon sequestration by trees.	GHG inventory has been prepared, and short term and long-term reduction plans have been developed.
ii.	Project proponent shall submit a study report on Decarbonization program, which would essentially consist of company's carbon emissions, carbon budgeting/ balancing, carbon sequestration activities and carbon capture, use and storage and offsetting strategies. Further, the report shall also contain time bound action plan to reduce its carbon intensity of its operations and supply chains, energy transition pathway from fossil fuels to Renewable energy etc. All these activities/ assessments should be measurable and monitorable with defined time frames.	<p>Short Term Program:</p> <ul style="list-style-type: none"> Energy efficiency by installing Coke Dry quenching and Waste Heat recovery. Process Optimization: Implement advanced process control systems and automation to optimize oven heating, coking time, charging operations, minimizing energy use and fugitive emissions. <p>Medium Term Program:</p> <ul style="list-style-type: none"> Increased Renewable Energy Procurement. Use of Blast Furnace Gas in heating. Use of optimize coal blends.
VIII. Public hearing and Human health issues		
i.	Emergency preparedness plan based on the Hazard identification and Risk	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA)

	Assessment (HIRA) and Disaster Management Plan shall be implemented	has been made. Regular mock drill based on worst case risk scenario are being conducted.
ii.	The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms.	Heat Stress analysis for the workmen working in high temperature work zone is being carried out by third party and suitable Personal Protective Equipment (PPE) are being provided to the workman of Coke Oven.
iii.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained.	Annual health checks of workers of Coke Oven is being carried out and records are maintained.
IX. Environment Management		
i.	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 30/09/2020. As part of Corporate Environment Responsibility (CER) activity, company shall adopt nearby villages namely Siaria, Banshipur, Hudi Shai and Katipur.	Detailed status of Corporate Environment Responsibility is enclosed as Annexure-I .
ii.	The company shall have a well-laid-down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stakeholders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	The company has well documented QSHE Policy ,Copy of the latest Quality, Environment, Occupational Health & Safety Policy of Jindal Coke Limited is attached as Annexure-II.
iii.	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	An Environment department with qualified and experienced officers under the control of senior executive has been established. Head Environment reports directly to Unit Head.
X. Miscellaneous		
i.	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.	Advertisement on grant of Environment Clearance had been published in newspapers namely The New Indian Express (English) and Prameya (Odia) on 14.05.2022. Environmental Clearance is displayed in the website of the company permanently.
ii.	The copies of the environmental clearance shall be submitted by the project proponents	The copies of the environmental clearance have been submitted to the Heads of local bodies,

	to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Panchayats. On 18.05.2022 vide our letter no. JCL/JRD/ENV/2022-23/04.
iii.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Six-monthly compliance reports on the status of the compliance of the stipulated environmental conditions uploaded on company website and are being updated periodically.
iv.	The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.	Ambient air and stack emission are being carried out and are displayed at the display board installed at the main gate for public view.
v.	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Six-monthly reports on the status of compliance of the stipulated environmental conditions is being submitted to MOEF&CC and also uploaded on MoEF&CC website.
vi.	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Environmental statement for each financial year in Form-V is being submitted to SPCB, Odisha in due time and the last report was submitted to SPCB on 26.09.2024. The latest environment statement has been put on the company website.
vii.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Battery I & II are in operation and OSPCB has granted CTO via letter no. 5892/IND-I-CON-6566 dated 24.03.2025 valid up to 31.03.2027.
viii.	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitments made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	All the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during presentation to the Expert Appraisal Committee are being complied. Details are enclosed as Annexure- I .
ix.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Expansion projects, if any will be routed through the prevailing guideline of MoEF&CC.
x.	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of	All the data/information submitted is factual and correct.

	Environment (Protection) Act, 1986.	
xi.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	The project proponent is implementing all the relevant conditions.
xii.	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time-bound manner shall implement these conditions.	All the existing and any additional condition are being implemented on priority.
xiii.	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.	Full cooperation will be extended to the officer (s) of the Regional Office of MoEF&CC.
xiv.	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Any such appeal shall be routed through the NGT if any.

Status of compliance report of Environment Clearance conditions of 0.425 MTPA Coke Oven Battery (Recovery type) (Ref: IA-J-11011/111/02018-1A II (I), dt. 25th May 2018)

A. SPECIFIC CONDITIONS:

S. No.	Condition	Compliance Status
i.	The industry shall follow coke oven standards as per Environment (P) Act, 1986. VOCs from the coke oven shall be monitored and controlled as per CPCB guideline	<ul style="list-style-type: none"> Coke Oven standard as per EP Act and MoEF&CC notification for Iron & Steel dated 31st March 2012 is being followed. VOC from coke oven battery stack is being monitored by NABL Accredited Laboratory. The latest monitoring report is enclosed as Appendix-A.
ii.	Bag filters shall be installed to control the emissions from the coal crusher section, charging the fume car section of the Coke Oven Plant. Online continuous monitoring systems shall be installed to monitor various pollutants and data submitted to the Ministry's Regional Office at Bhubaneswar, CPCB and OPCB. Dust suppression system shall be installed at raw material handling areas, material transfer points and solid waste dumps to control fugitive emissions. Water sprinkling shall be done on the roads to control fugitive emissions.	<ul style="list-style-type: none"> Bag filter having adequate capacity has been installed at Primary coal crusher, secondary coal crusher section and coke crushing section of the Coke Oven Plant Online continuous monitoring system has been installed at battery stack of Coke Oven and data is being transmitted to SPCB & CPCB. Dust suppression system has also been installed at raw material handling areas, material transfer points to control fugitive dust emission. The entire internal road is paved, and water sprinkling is being done to control the fugitive emission.
iii.	No ground water shall be used for the plant.	<ul style="list-style-type: none"> No ground water is being used in the plant.

S. No.	Condition	Compliance Status
	All the treated wastewater shall be recycled and reused in the process and 'Zero' discharge shall be strictly adopted as per direction of OPCB. Phenolic effluent from Coke Oven complex shall be treated in the ETP of BOD Plant and recycled and reused for quenching of coke. Ammonia, Phenol and Cyanide in the effluent should be treated. Cyanide shall meet the standard of 0.2 ppm. TDS in the effluent shall not be more than 2100 mg/l. The domestic wastewater after treatment in STP shall be used for green belt development.	<ul style="list-style-type: none"> Effluent generated from process is being treated in BOD Plant for all pollutants including ammonia, phenol & cyanide and the treated water is completely reused in the system. The treated effluent is being tested for parameters like Ammonia, Phenol, Cyanide and TDS etc. from internal as well as external approved laboratory. The Analysis report is enclosed as Appendix-A.
iv.	Coke oven by-product effluent shall be treated as per notified standards and only treated effluents after meeting the norms shall be used for coke quenching. No fresh water shall be used for this purpose.	Coke oven by-product effluent is being treated at BOD plant and is being analyzed by NABL accredited third party laboratory on monthly basis and the result is found to be within the permissible limit. The monitoring report is enclosed as Appendix – A .
v.	Ground water monitoring around the solid waste disposal site/ secured landfill (SLF) shall be carried out regularly and report submitted to the Ministry's Regional Office at Bhubaneswar / CPCB and OPCB.	Ground water monitoring is being carried out in core zone as well as peripheral areas and analysis report is enclosed as Appendix-A .
vi.	Solid waste shall be disposed of in secured landfill designed as per the specifications of the CPCB. Coke breeze from Coke oven shall be sold to the parent company (JSL) for recycling	<p>Process Solid waste generated from JCL is being completely reused into the process.</p> <p>Coke breeze from Coke oven is being sold to for recycling.</p>
vii.	Green belt shall be developed within and around the plant premises as per the CPCB guidelines in consultation with DFO.	<p>Three tier greenbelts with 2500 density per ha have been developed.</p> <p>The survival of the saplings is being closely monitored and replaced all the damaged plants with new saplings. 5309 nos. of trees have been planted in FY 24-25.</p>
viii.	As, proposed, modified wet quenching for 1 st Coke oven battery as per CPCB guidelines, shall be adopted.	Coke Dry Quenching has been installed for Battery 2.

B. GENERAL CONDITIONS:

S. No.	Condition	Compliance
i.	The project authorities must strictly adhere to the stipulations made by the Orissa Pollution Board (OPCB) and the State Government.	All the stipulations made by the Orissa Pollution Control Board are being complied.
ii.	No further expansion or modifications in the plant should be carried out without prior approval of the Ministry of Environment and Forests.	<p>The unit has obtained EC, CTE and CTO for expansion projects from 0.425 MTPA to 0.78 MTPA.</p> <p>Any further expansion of the project will be routed</p>

S. No.	Condition	Compliance
		in accordance with the MoEF&CC's relevant guidelines.
iii.	The gaseous emissions from various process units shall conform to the mass-based load standards notified by this Ministry on 19 th May, 1993 and standards prescribed from time to time. The state board may specify more stringent standards for the relevant parameters keeping in view the nature of the industry and its size and location. At no time, the emission level shall go beyond the prescribed standards. Online continuous monitoring systems shall be installed in stacks to monitor SPM and interlocking facilities shall be provided so that process can be automatically stopped in case emission level exceeds the limit. NOx burners shall be installed to control NOx levels.	<ul style="list-style-type: none"> The gaseous emissions from coke oven battery stacks are being monitored internally as well as by NABL accredited third party Laboratory. The analysis reports are being submitted to SPCB and MoEF&CC regularly. Online continuous emission monitoring system has been installed at Coke Oven battery stack to monitor PM, SO₂ & NO_x. The NO_x monitored in online and offline found well within the stipulated limit.
iv.	At least four ambient air quality- monitoring stations shall be established in the downward direction as well as where maximum ground level concentration of SPM, SO ₂ and NO _x is anticipated in consultation with the OPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Bhubaneswar/ OPCB/ CPCB once in six months.	<ul style="list-style-type: none"> One no. of continuous ambient air quality station has been installed in JCL which caters to the requirement of downwind installation. For upwind installation there are 3 stations which share the common boundary of JSL & JCL to monitor PM₁₀, PM_{2.5}, SO_x & NO_x. All data are continuously transmitted to OSPCB & CPCB and submitted periodically to MoEF&CC. The installation has been completed in consultation with SPCB. Both the manual and online monitoring report of stack & ambient air quality is enclosed as Appendix-A and Appendix-B respectively.
v.	In-plant control measures for checking fugitive emissions from all the vulnerable sources of Coke oven area shall also be provided. De-dusting system i.e. collection of fugitive emissions through suction hood and subsequent treatment through bag filter or any other device and finally emitted through a stack of appropriately designed	<ul style="list-style-type: none"> Dedusting systems (Bag filters) have been installed in coal crushing and coke screening operations to minimize fugitive emission. Fugitive emission monitoring is being carried out by internal as well as NABL Accredited external Laboratory. The

S. No.	Condition	Compliance
	and height conforming to the standards shall be provided. Fugitive emissions shall be controlled, regularly monitored and records maintained.	monitoring data for the is enclosed as Appendix – A.
vi.	Industrial waste water shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May 1993 and 31 st December 1993 or as amended from time to time. The wastewater treated shall be utilized for plantation purpose.	Effluent generated from process is being treated in BOD Plant for all pollutants including ammonia, phenol & cyanide and the treated water is being tested to conform compliance against. GSR 422 (E) dated 19 th May 1993 and 31 st December 1993 or as amended from time to time.
vii.	The overall noise levels in and around the plant area shall be kept within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EIA Rules, 1989 viz. 75 dBA (daytime) and 70 (dBA) nighttime.	Adequate measures like Silencers and Acoustic Enclosures are provided for noise generating equipments like Diesel Generator set etc. to control noise generation. The Ambient Noise levels are being monitored, and the noise monitoring results are enclosed as Appendix-A.
viii.	The company shall develop surface water harvesting structures to harvest the rainwater for utilization in the lean season besides recharging the ground water table.	Surface runoffs from all sources of JCL complex are routed through storm water drains for further treatment in common Surface Runoff Treatment System (SRTS) of JSL group companies. Further, the treated water from SRTS is being used for different application inside plant.
ix.	Occupational Health Surveillance of the workers shall be done on a regular basis and record maintained as per the Factories Act.	Occupational health surveillance of the workers is being carried out on a regular basis and records are being maintained as per the Factories Act.
x.	Recommendations made in the CREP guidelines issued for the steel plants shall be implemented.	CREP guidelines are being followed. The recommendation made in the Chapter on Corporate Responsibility for Environment Protection (CREP) is followed regarding control of air pollution, installation of state of art air pollution control equipment. Pollution control equipments are installed as per CREP Guidelines of CPCB, such as bag filters, Effluent Treatment Plant etc.
xi.	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/ EMP report for Coke oven plant.	The Plant has taken the environmental protection measures and safeguards recommended in the EIA/EMP report. The details are enclosed as - Annexure I.
xii.	The project authorities shall utilize Rs. 6.0 Crores earmarked for the environment pollution control measures judiciously to implement the conditions stipulated by the Ministry of Environment and Forests as	The project has earmarked the cost incurred for environment pollution control and judiciously implementing the control measures. Till date JCL has spent Rs.57 crore on pollution control measures.

S. No.	Condition	Compliance
	well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds provided shall not be diverted for other purpose.	
xiii.	The regional office of the Ministry at Bhubaneswar/ CPCB/ OPCB will monitor the stipulated conditions. A six-monthly compliance report and the monitored data along with statistical interpretation shall be submitted to them regularly.	Six monthly compliance report along with monitored data is being submitted to the Ministry regularly. The latest compliance report was submitted on 30.11.2024.
xiv.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the OPCB/ Committee and may also be seen at Website of the Ministry of Environment and Forests at http://envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the regional Office.	The grant of Environment clearance was advertised in two daily newspapers. In English at Orissa post and in regional language in Prameya on 25.05.2018. The advertisement was published within 7 days of the grant of EC.
xv.	Project authorities shall inform the Regional Office as well as the Ministry of the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	Battery 1 & 2 are in operation and OSPCB has granted CTO via letter no. 5892/IND-I-CON-6566 dated 24.03.2025.
xvi.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	The project proponent is implementing all the relevant conditions of environment clearance.
xvii.	The Ministry reserves the right to stipulate additional conditions if found necessary. The company in a time-bound manner will implement these conditions	All the existing and any additional condition is being implemented on priority.
xviii.	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management & Handling) Rules, 2016 and the Public (Insurance) Liability Act, 1991 along with their amendments and rules.	All the prevailing acts under the provision Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management & Handling) Rules, 2016 and the Public (Insurance) Liability Act, 1991 along with their amendments and rules is being complied.

Jindal Coke Limited

Annexure - I

CER Compliance Status

Major Issue Raised	Action Plan	Timeline for Execution			Total Budget (Lakhs)	Spent as on date
		Year 1 st	Year 2 nd	Year 3 rd		
Area Development						
Development of park	Set up of park along with area development at two nos. of places.	Condition: Development of park with construction of tennis court at village Panikoili.	Condition: Development of parks at village Telibahali by construction of boundary walls, land scaping, Temple development.	Condition: Continuation of Development work of park at village Telibahali by arrangement of permanent entire walkway, sitting arrangement.	180	49
		Status: The ground development Work has been successfully Completed at Panikoili.	Status: Park at Telibahali has been developed by State Govt.			
Development of the public community hall	New establishment of community hall at 5 nos.of villages.	Condition: Set up in villages namely: Khurunti, Malikasahi by providing new buildings with electrification.	Condition: Set up in villages namely: Ostapal by providing new buildings with electrification.	Condition: Setup in villages namely:Karadapal, Suanlo by providing new buildings with electrification.	60	44
		Status: Towards development of public community hall JCL has approached Khurunti, Malikasahi village. The land of the proposed community hall is yet to be finalized by village representatives. After the finalization of land, construction will be started.	Status: Instead of the Community Centre as requested by villagers, Khudurukuni Puja mandap with Electrification has been done in Ostopal.	Status: A new community center has been established with complete electrification at Karadapal. For village Suanlo Adivashisahi, work for a new community center has been completed.		
Plantation Activities in peripheral villages	Plantation drive at five numbers of village.	Condition: Village: Solei	Condition: Village: Marutikar, Danagadi.	Condition: Village: Patranga, Mantira:	30	9
		Status: Plantation has been carried out at Govt. Polytechnic college, Ragadi. -200 Nos. Further, in the village of Solei, plantation has been carried out on degraded waste dumps.	Status: At Kumbhiragadhia High School (Danagadi)-107 Nos of saplings have been planted.	Status: At Mantira Sr. Secondary School-350 Nos of saplings have been planted. Pataranga in consultation with local authority plantation will be started.		

Jindal Coke Limited

Medical Facilities					
Provision of health care facilities	Establishment of Homeopathic clinic at six numbers of villages.	Condition: Village: Kumbirgadia, Marutikar-Construction of building for homeopathic clinics along with supply of essential medicines. Status: The Homeopathy clinic at Kumbhiragadia and Classroom at Marutikar as requested by the Villagers has been Completed.	Condition: At village: Mantira, Olala-Construction of building for homeopathic clinic along with supply of essential medicines. Status: Due to continued land-related disputes at the said villages, still the work could not be started.	Condition: At village: Tikara, Danagadi Construction of building for homeopathic clinic along with supply of essential medicines. Status: Instead of homeopathic clinic, up gradation and replacement of medical equipment at CHC of Danagadi has been completed.	70
					16
Local Employment					
Provide employment with preference to local people	Priority to be given for local employment during both construction and operation phase.	During Construction phase it is envisaged for Direct employment of 40 Nos. and Indirect employment of 200 Nos & during operation phase direct employment of 150 Nos. and Indirect employment of 120 Nos. During the construction phase 70% indirect employment and 30 % direct employment will be through local employment. During operation phase 90 % indirect employment and 30% direct employment will be through local employment.			Jindal Coke has given 116 nos. of direct employment and 910 nos. of indirect employment locally.
Education					
Renovation/Construction of additional new 2 Nos. of classrooms and electrification with sanitation facility at four nos. school.	Condition: At village: Danagadi Status: The classroom and toilet of Sisumandir at Danagadi have been completed.	Condition: At village: Kharadi, Kankadajhar: Status: Instead of Classrooms, Community Centers in the village Kharadi and Kankadajhar are being constructed.	Condition: At village: JK Road Status: MLA has recommended constructing new classrooms at Sankhachilla High School, The Work is being taken up.	60	52
Facilitate students in providing special training on Stainless Steel related works to make them knowledgeable in getting jobs in the steel sector.	Condition: At: Ragadi Polytechnic College As on 31 st March 2024 high end training on Stainless Steel Welding has been provided to 177 nos. of students of the govt. polytechnic, Jajpur, Ragadi perusing diploma course in mechanical/electrical branch (Final Year) for enhancement of technical skill.	Shall continue	Shall Continue	15	-
Women Empowerment					

Jindal Coke Limited

Strengthening of women empowerment measures in peripheral villages.	Focus on various livelihood program for women empowerment in peripheral villages.	Condition: Livelihood promotion that tailoring, beauty parlor, training, skill development training at village Mantira. Status: Livelihood programmes like ASMITA Boutique, Tailoring Training Centres, Boutique centers, Farm income generating activities such as dairy, goat rearing, poultry, and mushroom cultivation are continued through SHG of village Mantira.	Condition: Livelihood promotion including dairy farming, poultry, goatery, wheat grinding at village Jakhapura. Status: Various Livelihood programmes like ASMITA Boutique, Tailoring Training Centres, Boutique centers, Farm income generating activities such as dairy, goat rearing, poultry, mushroom cultivation, Turmeric making unit are continued through SHG of village jakhapura..	Condition: Establishment of skill development center to provide training in Computer education, electrical, and mechanical at village Trijanga (Dangadi). Status: A computer training center has been established at Danagadi of Trijanga GP.	150	35
Environment						
Air and Water pollution control	Effective APC devices to be in place during plant operation and set up of ETP for treatment of process of effluent. No wastewater discharge to be ensured.	Condition: Effective pollution control equipment is with interlocking facility with processes to be in place for proposed expansion project. Continuous emission monitoring, ambient air quality monitoring and effluent quality monitoring to be done. Periodical Ambient air quality monitoring to be done in buffer zone of plant site. Status: Effective operation pollution control equipments are being ensured. Continuous emission monitoring systems, ambient air quality monitoring systems and effluent quality monitoring systems are installed. Periodical Ambient air quality monitoring is being carried out in buffer zones of plant site.			As per EMP budget of plant	Recurring cost for pollution control equipment in FY 2023-24. 765.1
Total					565	970.1




QUALITY, ENVIRONMENT, OCCUPATIONAL HEALTH & SAFETY POLICY

Jindal Coke Limited is committed to produce and supply high quality coke and by-products through capability building, use of best practices, maintaining reliable relationships with all stakeholders and innovative stain-less solutions with a commitment to maintain environment friendly, safe, healthy and sustainable working conditions in all its operations.

We are committed to:

- Meeting and exceeding customer needs and expectations through deployment of state of the art manufacturing technologies, performance improvement and innovative practices.
- Comply with all applicable legal and other specific requirements to which organization subscribes.
- Protect environment and prevent pollution by reducing emissions, sustainable and efficient usage of natural resources.
- Prevent injury and ill health by establishing safe working condition and adopting safe working practices as identified through occupational health & safety risk assessment.
- Review this policy periodically to ensure relevance, appropriateness and continual improvement of integrated management system with involvement of all interested parties as applicable.
- Consultation and participation of workers and their representatives at all applicable levels and functions.

Date: 25th April 2024


Deepak Agiwal
(Director)
Jindal Coke Limited



Environment Monitoring Report (October 2024 – March 2025)

INDEX

- A. Stack Analysis
- B. Ambient Air Quality
- C. Fugitive Visible Emission
- D. Noise Monitoring
- E. Ground Water Quality
- F. Treated Effluent Quality At COBP PETP- OUTLET
- G. Fugitive Air Emission



Environment Monitoring Report (October 2024 – March 2025)

A. Stack Analysis:

Particulate Matter (PM):

Sl. No.	Sampling Stations	Concentration of Particulate Matter (mg/Nm ³)						
		Oct.-24	Nov.-24	Dec.-24	Jan.-25	Feb.-25	Mar.-25	Permissible limit
1	Coke Oven Battery Stack#1	29.4	27.1	28.5	27.9	30.6	30.3	50
2	Coke Oven Battery Stack#2	22.1	19.2	25.4	22.7	26.0	25.0	30

Sulphur Dioxide (SO₂):

Sl. No.	Sampling Stations	Concentration of Sulphur Dioxide (mg/Nm ³)						
		Oct.-24	Nov.-24	Dec.-24	Jan.-25	Feb.-25	Mar.-25	Permissible limit
1	Coke Oven Battery#1 Stack	418.6	394.2	338	398.2	397	402.3	800
1	Coke Oven Battery#2 Stack	386.9	408.6	380	415.8	360	417.6	

Oxide of Nitrogen (NO_x):

Sl. No.	Sampling Stations	Concentration of Oxide of Nitrogen (mg/Nm ³)						
		Oct.-24	Nov.-24	Dec.-24	Jan.-25	Feb.-25	Mar.-25	Permissible limit
1	Coke Oven Battery#1 Stack	152.2	156.4	166	160.5	148	124.8	500
1	Coke Oven Battery#2 Stack	133.7	151.7	186	148	112	161.2	

Environment Monitoring Report (October 2024 – March 2025)

VOC:

Concentration of VOC – Battery # 1 (October' 24)

Sl. No.	Parameters	Test Method	Unit of Measurement	Analysis Results
1.	Benzene	HESC-G/INS/SOP/028 Issue No.:01 Issue Date:01.03	mg/m ³	<0.01
2.	Toluene		mg/m ³	<0.01
3.	Ethyle Benzene		mg/m ³	<0.01
4.	O- Xylene		mg/m ³	<0.01
5.	M- Xylene		mg/m ³	<0.01
6.	P- Xylene		mg/m ³	<0.01
7.	Chlorobenzene		mg/m ³	<0.01
8.	Isopropyl benzene		mg/m ³	<0.01
9.	Bromobenzene		mg/m ³	<0.01
10.	1,3,5-Trimethyle benzene		mg/m ³	<0.01
11.	1,3,4-Trimethyle benzene		mg/m ³	<0.01
12.	Sec- Butylbenzene		mg/m ³	<0.01
13.	Tert- Butylbenzene		mg/m ³	<0.01
14.	1,4- Dichlorobenzene		mg/m ³	<0.01
15.	n- Butylbenzene		mg/m ³	<0.01
16.	1,2,3- Trichlorobenzene		mg/m ³	<0.01
17.	Trichloroethylene		mg/m ³	<0.01
18.	1,1,1,2- Tetrachloroethane		mg/m ³	<0.01
19.	Hexachlorobutadiene		mg/m ³	<0.01
20.	1,2-Dibromo-3- Chloropropane		mg/m ³	<0.01
21.	1,1,1- Trichloroethane		mg/m ³	<0.01
22.	1,1,2,2- Tetrachloroethane		mg/m ³	<0.01
23.	1,1,2- Trichloroethane		mg/m ³	<0.01
24.	1,1- Dichloroethane		mg/m ³	<0.01
25.	1,1- Dichloroethylene		mg/m ³	<0.01
26.	1,1- Dichloropropylene		mg/m ³	<0.01
27.	1,2,3- Trichloropropane		mg/m ³	<0.01
28.	1,2,4- Trichlorobenzene		mg/m ³	<0.01
29.	1,2,4- Trimethylebenzene		mg/m ³	<0.01
30.	1,2- Bromomethane		mg/m ³	<0.01

Environment Monitoring Report (October 2024 – March 2025)

Concentration of VOC – Battery # 2 (October' 24)

Sl. No.	Parameters	Test Method	Unit of Measurement	Analysis Results
1.	Benzene	HESC-G/INS/SOP/028 Issue No.:01 Issue Date:01.03	mg/m ³	<0.01
2.	Toluene		mg/m ³	<0.01
3.	Ethyle Benzene		mg/m ³	<0.01
4.	O- Xylene		mg/m ³	<0.01
5.	M- Xylene		mg/m ³	<0.01
6.	P- Xylene		mg/m ³	<0.01
7.	Chlorobenzene		mg/m ³	<0.01
8.	Isopropyl benzene		mg/m ³	<0.01
9.	Bromobenzene		mg/m ³	<0.01
10.	1,3,5-Trimethyle benzene		mg/m ³	<0.01
11.	1,3,4-Trimethyle benzene		mg/m ³	<0.01
12.	Sec- Butylbenzene		mg/m ³	<0.01
13.	Tert- Butylbenzene		mg/m ³	<0.01
14.	1,4- Dichlorobenzene		mg/m ³	<0.01
15.	n- Butylbenzene		mg/m ³	<0.01
16.	1,2,3- Trichlorobenzene		mg/m ³	<0.01
17.	Trichloroethylene		mg/m ³	<0.01
18.	1,1,1,2- Tetrachloroethane		mg/m ³	<0.01
19.	Hexachlorobutadiene		mg/m ³	<0.01
20.	1,2-Dibromo-3- Chloropropane		mg/m ³	<0.01
21.	1,1,1- Trichloroethane		mg/m ³	<0.01
22.	1,1,2,2- Tetrachloroethane		mg/m ³	<0.01
23.	1,1,2- Trichloroethane		mg/m ³	<0.01
24.	1,1- Dichloroethane		mg/m ³	<0.01
25.	1,1- Dichloroethylene		mg/m ³	<0.01
26.	1,1- Dichloropropylene		mg/m ³	<0.01
27.	1,2,3- Trichloropropane		mg/m ³	<0.01
28.	1,2,4- Trichlorobenzene		mg/m ³	<0.01
29.	1,2,4- Trimethylebenzene		mg/m ³	<0.01
30.	1,2- Bromomethane		mg/m ³	<0.01

Environment Monitoring Report (October 2024 – March 2025)

B. Ambient Air Quality Monitoring Report (In side plant & Buffer zone):

AAQ near Admin. Building (Inside plant)

Sl. No.	Parameters	Ambient Air Quality Monitoring Report						Permissible limit
		Oct.-24	Nov.-24	Dec.-24	Jan.-25	Feb.-25	Mar.-25	
1	PM ₁₀ µg/m ³	88.4	81.3	86.7	82.9	81.3	82.5	100(24 Hrs)
2	PM _{2.5} µg/m ³	37.2	32.6	32.8	36	34.6	34.9	60 (24 Hrs)
3	SO ₂ µg/m ³	28.1	25.6	27.2	25.2	24.9	25.5	80(24 Hrs)
4	NO _x µg/m ³	19.2	18.2	20.5	22.3	21.8	23.0	80(24 Hrs)
5	CO mg/m ³	0.89	0.94	0.92	0.95	0.94	0.93	2 (8 Hrs)
NB: Parameters such as Lead, Benzene, Benzopyrene, Arsenic & Nickel found to be below detection limit (BDL).								

AAQ near Silo DCS Panel Room (Inside plant)

Sl. No.	Parameters	Ambient Air Quality Monitoring Report						Permissible limit
		Oct.-24	Nov.-24	Dec.-24	Jan.-25	Feb.-25	Mar.-25	
1	PM ₁₀ µg/m ³	80.0	79.4	76.3	78.1	79.7	80.1	100(24 Hrs)
2	PM _{2.5} µg/m ³	30.2	30.5	29.7	27.1	28.4	30.1	60 (24 Hrs)
3	SO ₂ µg/m ³	26.4	24.1	21.4	20.6	19.2	19.8	80(24 Hrs)
4	NO _x µg/m ³	13.8	14.5	15.5	13.8	14.9	16.2	80(24 Hrs)
5	CO mg/m ³	0.85	0.90	0.86	0.84	0.81	0.88	2 (8 Hrs)
NB: Parameters such as Lead, Benzene, Benzopyrene, Arsenic & Nickel found to be below detection limit (BDL).								

AAQ near Manpur Transit House, Manpur (Buffer zone)

Sl. No.	Parameters	Ambient Air Quality Monitoring Report				Permissible limit
		Jan.-25	Feb.-25	Mar.-25		
1	PM ₁₀ µg/m ³	80.4	79.0	78.8		100(24 Hrs)
2	PM _{2.5} µg/m ³	35.8	33.0	28.6		60 (24 Hrs)
3	SO ₂ µg/m ³	23.6	22.0	19.2		80(24 Hrs)
4	NO _x µg/m ³	20.7	18.0	14.8		80(24 Hrs)
5	CO mg/m ³	0.48	0.52	0.68		2 (8 Hrs)

Environment Monitoring Report (October 2024 – March 2025)

NB: Parameters such as Lead, Benzene, Benzopyrene, Arsenic & Nickel found to be below detection limit (BDL).

C. Fugitive Visual Emission:

Monitoring of PLL, PLO, PLD and Charging Emission from COBP Battery#1

Sl. No.	Parameters	Fugitive Visual Emission Monitoring Report						
		Oct'24	Nov.-24	Dec.-24	Jan.-25	Feb.-25	Mar.-25	Standard
1	Leakage from Door (PLD)	6.3	1.58	3.17	2.38	3.98	7.94	10
2	Leakage from Charging Lids (PLL)	0.79	0	0	0.79	0	0	1
3	Leakage from AP Covers (PLO)	0	1.58	3.17	1.58	3.17	1.58	4
4	Charging Emission (Second/ Charge (HPLA))	56	64	69	68	62	62	75
5	Carbon Monoxide Kg/MT of Coke product	1	1.2	1.3	1.1	1.5	1.3	3

Monitoring of PLL, PLO, PLD and Charging Emission from COBP Battery# 2

Sl. No.	Parameters	Fugitive Visual Emission Monitoring Report						
		Oct.-24	Nov.-24	Dec.-24	Jan.-25	Feb.-25	Mar.-25	Standard
1	Leakage from Door (PLD)	1.59	3.17	0	1.59	3.17	1.59	5
2	Leakage from Charging Lids (PLL)	0	0.79	0	0	0	0.79	1
3	Leakage from AP Covers (PLO)	3.17	0	1.59	1.59	1.59	3.17	4
4	Charging Emission (Second/ Charge (HPLA))	10	11	12	9	12	11	16
5	Carbon Monoxide Kg/MT of Coke product	1.3	1.8	1.2	1.5	1.9	1.6	3

Environment Monitoring Report (October 2024 - March 2025)

D. Noise Monitoring Report:

i. Ambient Noise Monitoring Report

Sl. No.	Location	Noise Level (Leq in dB(A))											
		Oct.-24		Nov.-24		Dec.-24		Jan.-25		Feb. -25		Mar. -25	
		Day TIME	NIGHT TIME	Day TIME	NIGHT TIME	Day TIME	NIGHT TIME	Day TIME	NIGHT TIME	Day TIME	NIGHT TIME	Day TIME	NIGHT TIME
1	At Admin. Building	72.0	57.2	71.6	57.1	70.8	58.8	71.8	69.2	71.9	69.0	73.2	68.4
2	At Silo DCS panel room	70.8	56.4	69.2	56.6	62.4	56.7	56.4	56.0	56.8	56.0	57.2	56.1
Permissible limit dB(A)		75	70	75	70	75	70	75	70	75	70	75	70

ii. Ambient Noise Monitoring Report (Buffer Zone)

Sl. No.	Location	Noise Level (Leq in dB(A))					
		Jan.-25		Feb. -25		Mar. -25	
		Day TIME	NIGHT TIME	Day TIME	NIGHT TIME	Day TIME	NIGHT TIME
1	At Manpur Transit House	52.3	41.8	48.9	40.5	52.1	41.2
Permissible limit dB(A)		55	45	55	45	55	45

iii. Work Zone Noise Monitoring Report

Sl. No.	Location	Noise Level (Leq in dB(A))						
		Oct.-24	Nov.-24	Dec.-24	Jan.-25	Feb.-25	Mar.-25	Permissible limit
1	Quality Laboratory	63.8	70.2	65.1	61.7	75.4	66.5	85 dB(A)
2	Coke Dispatch office	76.2	80.5	77	75.6	76.8	77.2	
3	Near Administrative Building	79.0	79.4	78.4	77.1	75.6	77.8	
4	Battery#1 Control Room	80.3	75.5	81.0	76.7	73.4	73.8	
5	Battery#2 Control Room	83.2	66.9	84.9	68.1	71.9	73.3	



Environment Monitoring Report (October 2024 – March 2025)

iv. Shop Floor Noise Monitoring Report

Sl. No.	Location	Noise Level (Leq in dB(A))					
		Oct.-24	Nov.-24	Dec.-24	Jan.-25	Feb.-25	Mar.-25
1	Near Blower Room	80.0	83.2	84.3	81.2	82.7	81.6
2	Near By product area	79.2	78.8	80.3	75.8	81.3	76.7
3	Near Battery#1 Area	81.3	80.6	81.6	78.0	78.9	75.0
4	Near Battery#2 Area	76.2	80.2	80.4	82.7	74.0	70.9
5	Near compressor Room	87.1	86.4	88.2	78.9	88.6	85.6
6	Near Coke Handling Area	66.4	80.8	82.7	68.4	66.4	67.7
7	Near Pump House	83.2	81.9	68.6	80.6	68.6	83.3
8	Near cooling tower area	75.4	81.1	79.9	71.0	65.7	84.9
9	Near Secondary Crusher Area	83.1	66.1	80.8	80.7	84.1	73.8
10	Near Coke Loading section	78.5	84.8	77.8	75.9	66.7	84.6
11	Outside booster house	78.0	70.3	68.6	78.2	67.4	79.2
12	DS area	75.1	82.6	67.4	80.4	79.5	70.0
13	PETP	65.6	76.3	81.8	64.2	67.6	71.9
14	Mechanical Store	79.0	66.1	71.2	78.4	70.7	79.2

Environment Monitoring Report (October 2024 - March 2025)

E. Ground Water Quality: December'24 (Pre Monsoon)

Sr. No.	Parameter	Limit as per IS 10500 :2012		Date of sampling: 02.12.2024
		Acceptable Limit	Permissible limit	GW1
1	Colour, Hazen Units	5	15	BDL (DL- 5)
2	Odour	Agreeable	Agreeable	Agreeable
3	pH	6.5 - 8.5	6.5 - 8.5	7.19
4	Turbidity, NTU	1	5	3.5
5	Total dissolve solid, mg/l	500	2000	462
6	Total Hardness (as CaCO ₃), mg/l	200	600	192
7	Iron (as Fe), mg/l	1.0	1.0	0.2
8	Chloride (as Cl), mg/l	250	1000	38.7
9	Residual Free Chlorine, mg/l	0.2	1	BDL (DL- 0.1)
10	Fluoride (as F), mg/l	1	1.5	BDL (DL- 0.1)
11	Calcium (as Ca), mg/l	75	200	48.9
12	Magnesium(as Mg), mg/l	30	100	17
13	Copper(as Cu), mg/l	0.05	1.5	BDL (DL- 0.02)
14	Manganese (as Mn), mg/l	0.1	0.3	BDL (DL- 0.05)
15	Sulphate (as SO ₄), mg/l	200	400	6.2
16	Nitrate (as NO ₃), mg/l	45	45	24.6
17	Phenol (as C ₆ H ₅ OH), mg/l	0.001	0.002	BDL (DL- 0.002)
18	Mercury,(as Hg), mg/l	0.001	0.001	BDL (DL- 0.001)
19	Cadmium (as Cd), mg/l	0.003	0.003	BDL (DL- 0.01)
20	Selenium (as Se), mg/l	0.01	0.01	BDL (DL- 0.001)
21	Arsenic (as As), mg/l	0.01	0.05	BDL (DL- 0.004)
22	Cyanide (as CN), mg/l	0.05	0.05	BDL (DL- 0.02)
23	Lead (as Pb), mg/l	0.01	0.01	BDL (DL- 0.01)
24	Zinc (as Zn), mg/l	5	15	BDL (DL- 0.01)
25	Total Chromium (as Cr), mg/l	0.05	0.05	BDL (DL- 0.05)
26	Total Alkalinity(as CaCO ₃), mg/l	200	600	174.4
27	Aluminium (as Al), mg/l	0.03	0.2	BDL (DL- 0.01)
28	Boron (as B), mg/l	0.5	1	BDL (DL- 0.1)
29	Nickel (as Ni), mg/l	0.02	0.02	BDL (DL- 0.02)
30	Molybdenum (as Mo), mg/l	0.07	0.07	BDL (DL- 0.05)
31	Coliform Organisms, (MPN/100ml)	Shall not be detectable in any 100 ml sample		Absent
32	E Coli (MPN/100 ml)	Shall not be detectable in any 100 ml sample		Absent

N.B:- GW1: Borewell at coke oven plant



Environment Monitoring Report (October 2024 – March 2025)

F. Treated Effluent Quality At COBP – PETP OUTLET:

Table F₁:

Sl. No.	PARAMETER	Norm as per G.S.R. 422 (E)(Inland Surface water)/EC	Oct.-24	Nov.-24	Dec.-24	Jan.-25	Feb.-25	Mar.-25
			Date of Sampling – 09.10.2024	Date of Sampling – 16.11.2024	Date of Sampling – 26.12.2025	Date of Sampling – 21.01.2025	Date of Sampling – 25.02.2025	Date of Sampling – 31.03.2025
1	Color	--	Colourless	Colourless	Colourless	Colourless	Colourless	Colourless
2	pH Value	5.5 to 9.0	7.49	7.57	7.61	7.47	7.8	7.6
3	Suspended Solid, mg/l	100	42.6	40.8	53	40.8	42.2	53.2
4	Oil & grease, mg/l	10	7.2	5.9	6.8	7.2	7.2	6.2
5	Total Dissolved Solids, mg/l	2100	424.8	582.2	436	447	877.6	725.6
6	Total Res. Chlorine, mg/l	1	BDL(DL-0.1)	BDL(DL-0.1)	BDL(DL-0.1)	BDL(DL-0.1)	BDL(DL-0.1)	BDL(DL-0.1)
7	Ammonical Nitrogen, mg/l	50	7.1	6.7	7.9	7.2	8.2	7.8
8	Total Kjeldahl Nitrogen, mg/l	100	11.2	14.6	12.4	14.8	22.4	20.6
9	BOD (3 days at 27°C), mg/l	30	16.8	14.8	16.3	16.9	12.6	10.8
10	COD, mg/l	250	80.2	62.4	79.7	82.8	68.4	48.4
11	Nitrate Nitrogen, mg/l	10	4.7	3.8	6.2	5.1	4.2	7.2
12	Hexavalent chromium (as Cr ⁶⁺), mg/l	0.1	BDL(DL- 0.01)	BDL(DL- 0.01)	BDL(DL- 0.01)	BDL(DL- 0.01)	BDL(DL- 0.01)	BDL(DL- 0.01)
13	Sulphide (as S) mg/l	2	BDL(DL- 1.0)	BDL(DL- 1.0)	BDL(DL- 1.0)	BDL(DL- 1.0)	1	1
14	Phenolic compound (as C ₆ H ₅ OH), mg/l	1	0.2	0.3	0.4	0.3	0.04	0.1
15	Cyanide (as CN), mg/l	0.2	0.08	0.03	0.08	0.07	0.01	0.01
16	Fluoride (as F), mg/l	2	1.3	1.4	0.6	1.3	1	0.6



Environment Monitoring Report (October 2024 – March 2025)

Sl. No.	PARAMETER	Norm as per G.S.R. 422 (E)(Inland Surface water)/EC	Oct.-24	Nov.-24	Dec.-24	Jan.-25	Feb.-25	Mar.-25
			Date of Sampling – 09.10.2024	Date of Sampling – 16.11.2024	Date of Sampling – 26.12.2025	Date of Sampling – 21.01.2025	Date of Sampling – 25.02.2025	Date of Sampling – 31.03.2025
17	Dissolved Phosphate, mg/l	5	1.7	1	2.0	1.6	1.8	2.4
18	Arsenic, mg/l	0.2	BDL(DL-0.004)	BDL(DL-0.004)	BDL(DL-0.004)	BDL(DL-0.004)	BDL(DL-0.004)	BDL(DL-0.004)
19	Mercury, mg/l	0.01	BDL(DL-0.004)	BDL(DL-0.004)	BDL(DL-0.004)	BDL(DL-0.004)	BDL(DL-0.004)	BDL(DL-0.004)
20	Lead, mg/l	0.1	BDL(DL- 0.01)	BDL(DL- 0.01)	BDL(DL- 0.01)	BDL(DL- 0.01)	BDL(DL- 0.01)	BDL(DL- 0.01)
21	Cadmium, mg/l	2	BDL(DL- 0.01)	BDL(DL- 0.01)	BDL(DL- 0.01)	BDL(DL- 0.01)	BDL(DL- 0.01)	BDL(DL- 0.01)
22	Total Chromium, mg/l	2	0.05	0.06	BDL(DL- 0.01)	BDL(DL- 0.01)	0.06	0.01
23	Copper, mg/l	3	BDL(DL- 0.02)	BDL(DL- 0.02)	BDL(DL- 0.05)	BDL(DL- 0.05)	BDL(DL- 0.05)	BDL(DL- 0.05)
24	Zinc, mg/l	5	BDL(DL- 0.01)	BDL(DL- 0.01)	BDL(DL- 0.01)	BDL(DL- 0.01)	BDL(DL- 0.01)	BDL(DL- 0.01)
25	Selenium, mg/l	0.05	BDL(DL-0.001)	BDL(DL-0.001)	BDL(DL-0.001)	BDL(DL-0.001)	BDL(DL-0.001)	BDL(DL-0.001)
26	Nickel, mg/l	3	BDL(DL- 0.05)	BDL(DL- 0.05)	BDL(DL- 0.05)	BDL(DL- 0.05)	BDL(DL- 0.05)	BDL(DL- 0.05)
27	Manganese, mg/l	2	BDL(DL- 0.05)	BDL(DL- 0.05)	BDL(DL- 0.05)	BDL(DL- 0.05)	BDL(DL- 0.05)	BDL(DL- 0.05)
28	Iron (as Fe), mg/l	3	1.8	1.4	1.2	1.8	1.8	1.6
29	Vanadium, mg/l	0.2	BDL(DL- 0.2)	BDL(DL- 0.2)	BDL(DL- 0.2)	BDL(DL- 0.2)	BDL(DL- 0.2)	BDL(DL- 0.2)

Environment Monitoring Report (October 2024 – March 2025)

G. Fugitive Air Emission:

Sl. No.	Sampling Stations	Concentration of Total Particulate Matter (TPM) in $\mu\text{g}/\text{m}^3$						Permissible limits
		Oct.-24	Nov.-24	Dec.-24	Jan.-25	Feb.-25	Mar.-25	
1	Near Quenching tower of battery#1	398	411	477	482	724	370	-
2	Near Coke Silo Area	478	422	706	588	487	499	
3	Primary crusher	787	817	461	842	578	987	
4	Secondary crusher	813	970	718	826	739	623	
5	Coke screen area	415	572	862	642	325	588	
6	Near Quenching tower of battery#2	615	572	862	742	625	788	

Sl. No.	Sampling Stations	Concentration of Benzo (a) pyrene (BaP) ($\mu\text{g}/\text{m}^3$)						Permissible limits
		Oct.-24	Nov.-24	Dec.-24	Jan.-25	Feb.-25	Mar.-25	
1	Battery#1 Top	0.08	0.05	0.06	0.03	0.04	0.02	5
2	Battery#2 Top	0.05	0.06	0.07	0.02	0.04	0.03	5
3	By-Product Plant	0.04	0.03	0.02	0.01	0.02	0.01	2

Online Monitoring Report (October 2024 – March 2025)

A. Continuous Ambient Air Quality Monitoring System (CAAQMS) report:

Location - Near Nursery

Sl. No.	Parameters	Monthly Average concentration						Permissible limits as per SPCB
		Oct'24	Nov'24	Dec'24	Jan'25	Feb'25	March'25	
1	PM ₁₀ (µg/m ³)	68.99	81.36	51.96	61.36	60.24	51.21	100(24 Hrs)
2	PM _{2.5} (µg/m ³)	33.82	51.23	30.70	39.13	27.14	30.77	60 (24 Hrs)
3	SO ₂ (µg/m ³)	8.69	6.98	15.01	18.66	28.46	33.19	80(24 Hrs)
4	NO _x (µg/m ³)	15.72	15.78	15.74	15.71	15.63	15.39	80(24 Hrs)
5	CO (mg/m ³)	0.23	0.24	0.39	0.91	0.37	0.12	02 (08 Hrs)

Location - Near Security Barrack

Sl. No.	Parameters	Monthly Average concentration						Permissible limits as per SPCB
		Oct'24	Nov'24	Dec'24	Jan'25	Feb'25	March'25	
1	PM ₁₀ (µg/m ³)	54.53	69.98	44.60	47.74	45.95	68.86	100(24 Hrs)
2	PM _{2.5} (µg/m ³)	19.29	27.20	25.86	34.71	31.17	35.74	60 (24 Hrs)
3	SO ₂ (µg/m ³)	25.75	34.96	25.00	21.37	15.54	13.64	80(24 Hrs)
4	NO _x (µg/m ³)	10.41	12.10	14.86	14.68	14.88	14.87	80(24 Hrs)
5	CO (mg/m ³)	0.30	0.42	0.40	0.48	0.32	0.31	02 (08 Hrs)



Online Monitoring Report (October 2024 – March 2025)

Location - Near CPP

Sl. No.	Parameters	Monthly Average concentration						Permissible limits as per SPCB
		Oct'24	Nov'24	Dec'24	Jan'25	Feb'25	March'25	
1	PM ₁₀ (µg/m ³)	92.91	98.64	89.50	65.67	57.77	82.24	100(24 Hrs)
2	PM _{2.5} (µg/m ³)	27.26	40.37	52.06	24.76	44.36	41.93	60 (24 Hrs)
3	SO ₂ (µg/m ³)	44.04	45.95	46.67	47.71	49.00	51.90	80(24 Hrs)
4	NO _x (µg/m ³)	21.74	21.86	21.73	21.46	21.33	21.31	80(24 Hrs)
5	CO (mg/m ³)	0.65	0.82	0.96	0.93	0.73	0.72	02 (08 Hrs)

Location - Near Tata Corner

Sl. No.	Parameters	Monthly Average concentration						Permissible limits as per SPCB
		Oct'24	Nov'24	Dec'24	Jan'25	Feb'25	March'25	
1	PM ₁₀ (µg/m ³)	-	95.73	92.88	92.43	67.80	66.39	100(24 Hrs)
2	PM _{2.5} (µg/m ³)	33.13	50.03	29.66	39.27	21.12	34.15	60 (24 Hrs)
3	SO ₂ (µg/m ³)	43.53	48.00	45.45	47.02	51.09	55.37	80(24 Hrs)
4	NO _x (µg/m ³)	11.14	11.20	11.26	11.14	11.01	10.72	80(24 Hrs)
5	CO (mg/m ³)	0.28	0.38	0.43	0.48	0.35	0.31	02 (08 Hrs)



Online Monitoring Report (October 2024 – March 2025)

Location - Near Admin Building

Sl. No.	Parameters	Monthly Average concentration						Permissible limits as per SPCB
		Oct'24	Nov'24	Dec'24	Jan'25	Feb'25	March'25	
1	PM ₁₀ (µg/m ³)	63.58	77.98	51.76	54.18	68.60	58.74	100(24 Hrs)
2	PM _{2.5} (µg/m ³)	26.90	26.09	26.11	26.64	26.31	26.33	60 (24 Hrs)
3	SO ₂ (µg/m ³)	17.28	22.06	18.05	15.02	10.61	10.27	80(24 Hrs)
4	NO _x (µg/m ³)	48.44	34.35	33.71	35.90	35.89	33.53	80(24 Hrs)
5	CO (mg/m ³)	0.53	0.58	0.73	0.85	0.35	0.57	02 (08 Hrs)

B. Continuous Emission Monitoring System (CEMS) report

Sl. No.	Sampling Stations	Parameters	Monthly Average Concentration of PM and SO ₂ (mg/Nm ³)						Permissible limits as per SPCB
			Oct'24	Nov'24	Dec'24	Jan'25	Feb'25	March'25	
1	Coke Oven Stack-1	PM	30.03	29.05	30.05	28.22	27.04	30.37	50
		SO ₂	254	256	250	249	250	260	800
		NO _x	140	120.8	145.2	160.5	139.8	155.9	500
2	Coke Oven Stack-2	PM	-	-	-	-	11.56	30	30
		SO ₂	-	-	-	-	416.79	327.96	800
		NO _x	-	-	-	-	248.02	219.78	500

C. Effluent Quality Monitoring System (EQMS) report:

Location: Coke Oven ETP Outlet

Sl. No.	Parameters	Monthly Average concentration						Permissible limits as per SPCB
		Oct'24	Nov'24	Dec'24	Jan'25	Feb'25	March'25	
1	TSS	39.09	40.02	50.98	38.22	41.28	51.70	0 - 100.0 mg
2	pH	7.16	6.21	7.39	7.97	7.88	7.84	5.5 - 9.0 pH
3	BOD	15.75	13.99	15.98	16.12	11.30	11.23	0 - 30.0 mg/l
4	COD	79.00	59.42	78.38	81.90	65.26	51.15	0-250.0 mg/l